

品名 Item : Induction Motor

型號 Model : J220V18-200-20-A(A148)-G3

文件編號 File : Q3-06-20-00093


版次 Edition : 00

規格書 Data Sheet

制定 LISTER : 吳瑜農

審查 CHKD:





【目錄 Outline】

[illegible]

【規格表 Motor Specification】

機型 Model		J220V18-200-20-A(A148)-G3
馬達種類 Type		Single phase 4 pole induction motor
外殼材質 Motor Case		Aluminum alloy
馬達特性表 Characteristic	電壓 Voltage	1Ø110V
	輸出功率 Output	200W
	額定時間 Rated Time	Continue
	絕緣等級 Insulation	E CLASS
	保護等級 IP Rating	IP 23
	頻率 Frequency	60 Hz
	額定電流 Rated current	3.03 A
	額定轉速 Rated speed	1630 RPM
	電容器 Capacitor Capacity	16 μ F / 250V
	絕緣 Insulation resistance	100M Ω (500VDC)
減速機 Reducer	減速比 Ratio	1/20
	額定轉速(rpm)	81.5 RPM

Q4-06-084-01

適用環境 Environment	環境溫度 Environment Temperature	Temperature 0°C ~40°C (no freeze)
	環境濕度 Environment Humidity	Humidity 85% below (non-condensing)
	海拔 Altitude	Altitude 1000m below
	安裝環境限制 Install Environment Limitation	Indoor location (Avoid direct sunlight)
		Do not close to easy-explosive and flammable place.
		Avoid dirt, oil or liquids.
		Avoid continuous vibration or hit.
		Less salty environment.
		Avoid electromagnetic interference.
		Not being in the radiate, magnetic or vacuum area.

